

No. **1504014510**

Version date: 23-05-2019

1. Unique identification code of the product-type:	Supports according to EN 12899-1
2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):	1504014510
3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:	Supports for use with traffic signs and - signals according to EN 12899-1, EN 12368 and EN 12966-1
4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):	Pole Products Alcoalaan 1 5151 RW Drunen The Netherlands
5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):	N.a.
6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:	System 1; Certification of product conformity, without audit testing.
7. Activity of the notified body in case the declaration of performance concerns a construction product covered by a harmonised standard:	OCAB-OCBS CE1148 performed initial inspection of the manufacturing plant and of factory production control and performs continuous surveillance, assessment and evaluation of factory production control under system 1 and issued the certificate of conformity of the factory production control 20090709
8. In case the declaration of performance concerns a construction product for which a European Technical Assessment has been issued:	N.a.

9. Declared performance **EN 12899-1: 2007**

Essential characteristics	Performance	Harmonised technical specification
Resistance to horizontal loads	Groundlevel: Mu = 6,5 kNm	Clause 5.1
	Groundlevel: Tu = 7,5 kNm	
	Doorsection: Mu = 5,8 kNm	
	Doorsection: Tu = 0,9 kNm	
Passive safety class	70/100-NE-C-S-SE-MD-0 70/100-NE-C-R-SE-MD-0	Clause 6.3
Durability	SP1	Clause 7.1.7
Where pursuant to Article 37 or 38 the Specific Technical Documentation has been used, the requirements with which the product complies:	N.a.	

No. **1504014510**


Version date: 23-05-2019

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. this declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.
Signed for on behalf of the manufacturer by:


Signed by:

Bas van Boxtel
Technical Manager

Issue date: 25-11-2022

A handwritten signature in black ink, appearing to read 'Bas van Boxtel', written over a horizontal line.

[1] As reproduced from Annex III of REGULATION (EU) No 305/2011 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2011 laying down harmonised conditions for the marketing of construction products and repealing Council Directive 89/106/EEC.



CoG: 1950 mm
 Thickness: 3,0 mm
 Weight: 16,6 kg

Part 3		
Part 2		
Part 1	1504014510	Cyl. post top column 4,00 m SP

DESCRIPTION	MATERIAL		REMARKS		
	EN AW-6060 T66		Tolerance on Radius between 0 and +10%		
	Hydro Extrusion Drunen B.V.		THIS DRAWING REMAINS PROPERTY OF HYDRO EXTRUSION DRUNEN B.V. AND MAY WITHOUT THE WRITTEN PERMISSION OF THE OWNER NOT BE MULTIPLIED, BE USED FOR THIRD PARTIES OR BE GIVEN TO THIRD PARTIES FOR PERUSAL.		
DATE	NAME		SCALE	1 : 26	ORG.DAT
	Cyl. post top column 4,00 m SP		DRAWN BY	PE	REV.DAT
			SIGN		MUT.DAT
REV.	TOLERANCES BY EN40 UNLESS SPECIFIED OTHERWISE	DIMENSIONS IN MM UNLESS SPECIFIED OTHERWISE	AMERICAN PROJECTION	DRAWINGNUMBER	LAST REVISION
-2 -1				1504014510	