



## **AERMLED3/60/WW**

Endurance LED Recessed Panel - 600 x 600 Warm White 30W



# Features

High performance maintenance free LED Panel

Tpa as standard

UGR<19 (unified glare rating) compliant luminaire assisting to eliminate glare for visual comfort

30W panel outperforms 3x14W T5

Cool white and warm white options

White anodised aluminium frame for visual compatibility with ceiling grid

Low glare and even light distribution for multiple applications

Panel Pod Self-test emergency option

Panel Pod sensor option

Surface mounting frame option

Supplied c/w Philips LED driver

LED Lifespan L70 60,000 hours

## General Information

<b>Lamp Type</b>	LED
<b>Colour / Finish</b>	White
<b>IP Rating</b>	IP44
<b>Class Protection</b>	II
<b>Internal / External</b>	Internal
<b>Surface / Recessed / Suspended</b>	Recessed
<b>Diffuser Rating</b>	Tp(a)
<b>LED Life</b>	L70 60,000h
<b>Warranty (Years)</b>	5
<b>CE Mark</b>	Yes
<b>Length (mm)</b>	595
<b>Width (mm)</b>	595
<b>Depth (mm)</b>	10

# Technical Information

---

<b>Wattage</b>	30W
<b>Lumens Delivered</b>	2873lm
<b>Lm/W</b>	99lm
<b>CRI</b>	Ra80
<b>CCT</b>	3000K
<b>Input</b>	230V
<b>Hertz</b>	50Hz
<b>Operating Temp</b>	-20°C to 40°C

---

Datasheet generated from <https://www.electrika.com> last updated Friday, June 28, 2019 12:02:57 PM

