



CorePro LEDspot MV



Corepro LEDspot 3.5-35W GU10 830 36D UK

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 or E14 holder and are designed as a retrofit replacement for halogen or incandescent spots. LEDlamps deliver huge energy savings and minimize maintenance cost.

Product data

General Information		Power Consumption	
Cap base	GU10	Power Consumption	3.5 W
Nominal lifetime	15,000 h	Lamp current (nom.)	32 mA
Switching Cycle	50,000	Wattage equivalent	35 W
Lighting Technology	LED	Starting time (nom.)	0.5 s
		Warm-up time to 60% light	0.5 s
		Power Factor (Fraction)	0.5
		Voltage (nom.)	220-240 V
Light Technical		Temperature	
Colour Code	830 [CCT of 3000K]	T-Case maximum (nom.)	75 °C
Beam angle (nom.)	36 degree(s)		
Luminous Flux	265 lm	Controls and Dimming	
Luminous intensity (nom.)	565 cd	Dimmable	No
Colour designation	White (WH)		
Correlated Colour Temperature (Nom)	3000 K	Mechanical and Housing	
Luminous efficacy (rated) (nom.)	75.00 lm/W	Bulb shape	PAR16
Colour consistency	<6	Net Weight (Piece)	0.045 kg
Colour rendering index (CRI)	80		
LLMF at end of nominal lifetime (nom.)	70 %	Approval and Application	
Luminous flux in 90° cone (rated)	265 lm	Energy Efficiency Class	F
Photobiological safety according to EN 62471	RG1	Suitable for accent lighting	Yes
		Energy consumption kWh/1,000 hours	4 kWh
		EPREL Registration Number	391856
Operating and Electrical			
Line Frequency	50 to 60 Hz		
Input frequency	50 to 60 Hz		

CorePro LEDspot MV

EU RoHS compliant	Yes
EyeComfort	Yes
Flickering value (PstLM)	1
Stroboscopic effect	0.4

Application Conditions


Can it be used in closed luminaires	No
-------------------------------------	----

Product Data

Order product name	Corepro LEDspot 3.5-35W GU10 830 36D UK
--------------------	---



Full product name	Corepro LEDspot 3.5-35W GU10 830 36D UK
Full EOC	871869672833801
Order code	72833801
Material no. (12 NC)	929001217999
Numerator – quantity per pack	1
EAN/UPC – Product/Case	8718696728338
Numerator – packs per outer box	10
EAN/UPC – Case	8719514405998

Dimensional drawing



Product	D	C
Corepro LEDspot 3.5-35W GU10 830 36D UK	50 mm	54 mm

Photometric data




Spectral Power Distribution Colour - Corepro LEDspot 3.5-35W GU10 830 36D UK

Accent Lighting Spots - Corepro LEDspot 3.5-35W GU10 830 36D UK


CorePro LEDspot MV

Photometric data




Light Distribution Diagram - Corepro LEDspot 3.5-35W GU10 830 36D UK

Lifetime



Life Expectancy Diagram



Lumen Maintenance Diagram - Corepro LEDspot 3.5-35W GU10 830 36D UK

