



CorePro LEDspot MV



Corepro LEDspot 3.5-35W GU10 840 36D UK

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 or E14 holder and are designed as a retrofit replacement for halogen or incandescent spots. LEDlamps deliver huge energy savings and minimize maintenance cost.

Product data

General Information		
Cap base	GU10	
Nominal lifetime	15,000 h	
Switching Cycle	50,000	
Lighting Technology	LED	
Light Technical		
Colour Code	840 [CCT of 4000K]	
Beam angle (nom.)	36 degree(s)	
Luminous Flux	275 lm	
Luminous intensity (nom.)	590 cd	
Colour designation	Cool White (CW)	
Correlated Colour Temperature (Nom)	4000 K	
Luminous efficacy (rated) (nom.)	78.00 lm/W	
Colour consistency	<6	
Colour rendering index (CRI)	80	
LLMF at end of nominal lifetime (nom.)	70 %	
Luminous flux in 90° cone (rated)	275 lm	
Photobiological safety according to EN 62471 RG1		
Operating and Electrical		
Line Frequency	50 to 60 Hz	
Input frequency	50 to 60 Hz	

3.5 W
32 mA
35 W
0.5 s
0.5 s
0.5
220-240 V
75 ℃
No
PAR16
0.045 kg
F
Yes
4 kWh
391857


Datasheet, 2023, April 14 data subject to change

CorePro LEDspot MV

EU RoHS compliant	Yes	
EyeComfort	Yes	
Flickering value (PstLM)	1	
Stroboscopic effect	0.4	
Application Conditions		
Can it be used in closed luminaires	No	
Product Data		
Order product name	Corepro LEDspot 3.5-35W GU10 840 36D	
	UK	


Full product name	Corepro LEDspot 3.5-35W GU10 840 36D
	UK
Full EOC	871869672835201
Order code	72835201
Material no. (12 NC)	929001218099
Numerator – quantity per pack	1
EAN/UPC — Product/Case	8718696728352
Numerator – packs per outer box	10
EAN/UPC - Case	8719514405981

Dimensional drawing




Product	D	С
Corepro LEDspot 3.5-35W GU10 840 36D UK	50 mm	54 mm

Photometric data






Accent Lighting Spots - Corepro LEDspot 3.5-35W GU10 840 36D UK



Light Distribution Diagram - Corepro LEDspot 3.5-35W GU10 840 36D UK


CorePro LEDspot MV


Photometric data



Spectral Power Distribution Colour - Corepro LEDspot 3.5-35W GU10 840 36D UK

Lifetime





Life Expectancy Diagram

Lumen Maintenance Diagram - Corepro LEDspot 3.5-35W GU10 840 36D UK



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.