



CorePro LEDspot MV



CoreProLEDspot 4-50W GU10 840 36D DIM UK

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 or E14 holder and are designed as a retrofit replacement for halogen or incandescent spots. LEDlamps deliver huge energy savings and minimize maintenance cost.

Product data

General Information			
Cap base	GU10		
Nominal lifetime	15,000 h		
Switching Cycle	50,000		
Lighting Technology	LED		
Light Technical			
Colour Code	840 [CCT of 4000K]		
Beam angle (nom.)	36 degree(s)		
Luminous Flux	350 lm		
Luminous intensity (nom.)	700 cd		
Colour designation	Cool White (CW)		
Correlated Colour Temperature (Nom)	4000 K		
Luminous efficacy (rated) (nom.)	87.00 lm/W		
Colour consistency	<6		
Colour rendering index (CRI)	80		
LLMF at end of nominal lifetime (nom.)	70 %		
Luminous flux in 90° cone (rated)	350 lm		
Photobiological safety according to EN 624	Photobiological safety according to EN 62471 RG1		
Operating and Electrical			
Line Frequency	50 to 60 Hz		
Input frequency	50 to 60 Hz		

4 W
23 mA
50 W
0.5 s
0.5 s
0.84
220-240 V
70 ℃
Yes
PAR16
0.048 kg
F
Yes
4 kWh
391907


Datasheet, 2023, April 14 data subject to change

CorePro LEDspot MV

EU RoHS compliant	Yes
EyeComfort	Yes
Flickering value (PstLM)	1
Stroboscopic effect	0.4
Application Conditions	
Can it be used in closed luminaires	No
Product Data	
Order product name	CoreProLEDspot 4-50W GU10 840 36D
	DIM UK


Full product name	CoreProLEDspot 4-50W GU10 840 36D
	DIM UK
Full EOC	871951435885001
Order code	35885001
Material no. (12 NC)	929002065899
Numerator – quantity per pack	1
EAN/UPC — Product/Case	8719514358850
Numerator – packs per outer box	10
EAN/UPC - Case	8719514405653

Dimensional drawing




Product	D	С
CoreProLEDspot 4-50W GU10 840 36D DIM UK	50 mm	54 mm

Photometric data



Cloubs/ Prosenerics 45 Philips Lighting 6.V. Page: UT


Accent Lighting Spots - CoreProLEDspot 4-50W GU10 840 36D DIM UK



Spectral Power Distribution Colour - CoreProLEDspot 4-50W GU10 840 36D DIM UK


CorePro LEDspot MV


Photometric data



Light Distribution Diagram - CoreProLEDspot 4-50W GU10 840 36D DIM UK

Lifetime





Life Expectancy Diagram

Lumen Maintenance Diagram - CoreProLEDspot 4-50W GU10 840 36D DIM UK



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.